tapflo

INDUSTRIAL PUMPS

edition 2015 rev 1



>> All about your flow

www.tapflo.com

All about your flow. Everywhere.

Tapflo is a leading pump manufacturer with the ambition to provide a wide range of premium products for various industrial applications. Tapflo is represented by own companies and independent distributors in more than 60 countries spread over the world on 6 continents – products and spare parts are available worldwide. The headquarters are situated in Sweden.



About Tapflo

Tapflo Group is an independent, Swedish, family owned, manufacturer and global supplier of Air operated diaphragm pumps, centrifugal pumps and other industrial process equipment.

The company was founded in Kungälv, Sweden in 1980 and has since then been working with design and manufacture of thermoplastic, metal and sanitary series diaphragm pumps and also with complete range of centrifugal pumps and industrial equipment. After years of dynamic development the company evolved into Tapflo Group with worldwide operations.

Quality certified

At Tapflo we believe that quality is one of the highest values, both for our customers as well as our employees. As a result, we comply with various globally recognized certification and quality control institutions. Many of our products comply with EC ATEX directives for equipment intended for use in explosion hazardous environments.

The aseptic series is EHEDG certified (European Hygienic Engineering & Design Group), the pharmaceutical series has USP VI approval.

All our products are obviously CE marked and followed by our comprehensive instruction manuals. Tapflo manufacturing process is certified according to ISO 9001:2009.





















Tapflo expansion in the world



Our values

Long term engagement is our core

Our aim is to continuously provide premium products according to evolving needs of our customers.

That is why we see each customer relationship as a long term commitment.

Local means on your terms

Tapflo is your global partner providing local support. No matter where your plant is located you can expect us to support you locally.

Flexibility - the foundation of a good service


We are prepared to deal with reality, knowing that in practice this means answering questions, offering solutions and supplying spare parts with a minimal loss of time.

Customizing - to bring the product to the needs

Our intention is always to help our clients find the most cost effective solutions to increase their company's efficiency. If this means changing the design of the pump we see it as a challenge - not a problem.

■ To produce is to develop

When you are actively involved in the manufacturing of a product, it is almost impossible not to discover ways to improve it. This allows us to frequently offer solutions that are even more sustainable and efficient.



Diaphragm pumps


Tapflo diaphragm pumps are some of the most versatile pumps on the market today.

They can be used in a variety of installations in numerous applications. Thanks to the simple operating principle, with a compact and reliable design, Tapflo diaphragm pumps meet the demands of heavy industrial duties.

Working principle

Tapflo diaphragm pump is driven by compressed air. Two diaphragms are working simultaneously to prime and push the liquid through the pump system.

Valve balls work as check valves to let the liquid through in the right direction.



■ Fast facts

Capacity 0-820 l/min

0 - 216 US gal/min

Pressure 0 - 8 bar (max 14 bar for TF series)

0 - 116 PSI (max 200 PSI for TF series)

Connection sizes 1/4" up to 3" (DN8 - DN80)

Pump materials

PE, PTFE, aluminium, cast iron ,stainless steel AISI 316L, and PTFE coated aluminium

Product range









PE & PFTE pumps

Pumps made of polyethylene (PE) or virgin PTFE plastics are

suitable for handling almost any kind of liquid whether it is viscous, chemically aggressive, with solids or abrasive.

Sanitary pumps

Pumps designed to meet the requirements of the food, beverage, pharmaceutical and cosmetic industries. Lubrication free air distribution system and total visual

inspection of the wetted parts are some of the major features for this pump series.

Powder pumps

Powder pumps design is based on the PTFE coated aluminium series. This technology enables an efficient and economic transfer of light weight process powders.



EHEDG aseptic pumps

Our aseptic series for sterile applications pharmaceutical, bio technology and food industries. This is the first Tapflo series to be approved according to EHEDG regulations.

6 Pharmaceutical pumps

This series is produced to serve the biotech and pharmaceutical industries in numerous applications. All materials used to build the pump are USP IV certified.

7 TF Filter press pump

Tapflo pump for filter press feeding is a very compact unit that can be mounted directly on the filter press. The design and functionality allows the user a straightforward pressing of slurries. A pressure regulator is already mounted on the unit. The pumps are based on standard plastic and metal Tapflo pumps. An external pressure booster doubles the delivery pressure.

Metal pumps

Available in aluminium, cast iron, stainless steel and PTFE-coated aluminium.

All metal pumps are available in explosion proof ATEX-marked version.

Ingenious design

Long life diaphragms

Tapflo diaphragms are of sandwich compound construction, superior for continuous heavy duty service, with a completely smooth surface in contact with the liquid. This results in no leak through and a diaphragm which is easy to keep clean. The diaphragm is available in various materials and colors to suit any requirements, it is made from **PTFE**, **EPDM**, **NBR** or **FKM**.



The PTFE film of the diaphragm forms a closed surface to the liquid. The integrated light metal supporting core and the fabric reinforcement fulfill high strength requirements.

Pollution free air valve

The valve is designed for maintenance free operation with unlubricated air, thanks to the ingenious sealing system and operation principle.

It will not only save your money for lubrication, it will also save your environment from pollution.



News



Heavy duty integrated flange

Pumps with integrated flanges are a robust and solid design. When there is a risk of transferring vibration from the installation to the pump, the solid manifolds provide better stability and sealing for the pump. Using this solution allows connecting the pump to the installation by a flange DIN - code -3D, ANSI code -3A or through a BSP thread.

Available in pump sizes T50, T100, T200 and T400 and all material executions.





This is an excellent way to achieve a pulsation free diaphragm pump
Tapflo pump with a built-on dampener combines the advantages of standard pumps with active pulsation dampener in a compact manner. This is an ideal solution for effective elimination of pressure variations on the pump discharge where space in your installation is limited.

Available in pump sizes TR20, T50 and T100 and all material executions.



Sanitary flap valves

Flap valves are available for T225 and T425 sanitary pumps, ideal in applications with bigger size and gentle solids, high viscosity liquids or when solids can be damaged by valve balls (e.g. fruits). Flap valves are made in AISI 316

Available in pump sizes T225 and T425

Sanitary heavy duty ball cup valves

The ball valve cup is made in one piece with the valve seat. It is mounted on the pump with clamps therefore ensuring easy maintenance and cleaning. This option is a perfect solution when pumping abrasive liquids causing risk of damage to the valve seats from the product. There is no need to replace the whole manifolds or housings, just the valve cup what drastically reduces the spare parts cost.

Available in pump sizes T225 and T425




DT New series pulsation dampener

Works actively with compressed air and a diaphragm, setting the correct pressure to minimise the pulsations. Available for all Tapflo pump sizes and material versions.

Centrifugal pumps

Tapflo offers a wide range of mechanical sealed centrifugal pumps in stainless steel and sealless pumps in PP and PVDF plastics.

Thanks to the simple operating principle, with a compact and reliable design the pump series has a very wide range of applications – from transfer of water, to pumping chemicals.



■ Fast facts

Capacity 1 - 60 m³/h

1 - 264 US gal/min

Motor Power

0,12 - 11 kW

Head

2 - 47 m 6 - 154 ft **Connection Sizes Pump materials**

3/4" - 2 1/2" (DN20 - DN65)

PP, PVDF and

stainless steel AISI 316L

Product range



dard CT pump. The self-priming feature allows to use the pump in applications where standard CT pumps do not prove useful. The CTS pump is capable of creating up to 4,5 m of suction lift. By replacing only one element - the casing with a self-priming chamber — we can achieve various advantages for our pump. The pump can now suck the liquid form a lower level than it is positioned or handle liquids with high content of air.

units equipped with a CTM mag drive pump or combined with CTV vertical pump. The cartridges are available in porosities of 1, 10, 20 and 50 µm providing up to 95% filtering efficiency. The FTS series is available in PP.

Reliable components

Powerful magnet couplings

The magnets of the CTM range in NdFeB (Neodymium-iron-boron) with a unique magnet cage system have a superior strength also under demanding circumstances.

The power from the drive is transmitted even at high temperatures.



Big choice of sealing solutions

The CTI & CTH pump range features top brand mechanical seals in a variety of materials to suit most type of liquids.

They are available in combinations of ceramic, graphite and SiC.

For special duties, flushed and lubricated seals are available.



for easy maintenance



taofla

1 CTI & CTH centrifugal pumps

These pumps are open or semi open single stage centrifugal pumps, manufactured in high finish stainless steel AISI 316L. The range of applications is wide, from transfer of water to pumping of mild chemicals and low/medium viscous food products. To satisfy special needs, several options are available like flushed and/or lubricated seal, long coupled pump, draining system, heating jacket and hygienic shroud.

The industrial series CTI is manufactured with glass blasted pump casing. A variety of mechanical seal options and special executions are available to satisfy most type of industrial duties.

The hygienic series CTH is supplied with electro polished pump casing and internals. This series is specially dedicated for hygienic duties in food, beverage and pharmaceutical industries, where clean- and drain-ability are important factors.

2 CTM magdrive centrifugal pumps

CTM is a compact and seal less pump, where the power from the motor is transmitted to the impeller by means of a magnetic coupling. The wetted components are non-metallic injection moulded thermoplastics PP-GF or PVDF. The pumps handle many types of low viscous clean liquids such as chemical aggressive and toxic ones.

3 CTV vertical centrifugal pumps

CTV is a seal less and dry running safe pump specialized for transfer and circulation of various liquids from containers, sumps and tanks. It is manufactured from PP (polypropylene), PVDF or stainless steel AISI 316L.

TAPFLO AB

Sweden

Filaregatan 4 | S-442 34 Kungälv

Tel: +46 303 63390 Fax: +46 303 19916

E-mail addresses:

Commercial questions: sales@tapflo.com

Orders: order@tapflo.com

Tech support: support@tapflo.com

Tapflo products and services are available in 64 countries on 6 continents.

Tapflo is represented worldwide by own Tapflo Group Companies and carefully selected distributors assuring highest Tapflo service quality for our customers' convenience.

AUSTRALIA | AUSTRIA | AZERBAIJAN | BELARUS | BELGIUM | BOSNIA | BRAZIL | BULGARIA | CHILE | CHINA | COLOMBIA | CROATIA |
CZECH REPUBLIC | DENMARK | ECUADOR | ESTONIA | FINLAND | FRANCE | GREECE | GEORGIA | GERMANY | HONG-KONG | HUNGARY |
INDIA | INDONESIA | IRAN | IRELAND | ISRAEL | ITALY | JAPAN | KAZAKHSTAN | LATVIA | LITHUANIA | MACEDONIA | MALAYSIA |
MEXICO | MONTENEGRO | THE NETHERLANDS | NEW ZEALAND | NORWAY | POLAND | PORTUGAL | PHILIPPINES | ROMANIA |
RUSSIA | SERBIA | SINGAPORE | SLOVAKIA | SLOVENIA | SOUTH AFRICA | SOUTH KOREA | SPAIN | SWEDEN | SWITZERLAND |
SYRIA | TAIWAN | THAILAND | TURKEY | UKRAINE | UNITED ARAB EMIRATES | UNITED KINGDOM | USA | UZBEKISTAN | VIETNAM

Tapflo Group Companies

Austria

Tapflo Austria Tel: +43 732 27292910 sales@tapflo.at

Azerbaijan

Tapflo Azerbaijan LLC Tel: +994 502660799 sales@tapflo.az

Baltic States

Tapflo Latvia Tel: +371 67472205 sales@tapflo.lv

Relarus

Tapflo Belarus Tel: +375 17 3934609 sales@tapflo.by

Bulgaria

Tapflo EOOD Tel: +359 (0)2 974 18 54 office@tapflo.bg

Croatia

Tapflo GmbH Tel: +385 91 4884 666 sales@tapflo.hr

Czech Republic

Tapflo s.r.o.
Tel: +420 513 033 924
tapflo@tapflo.cz

China

Tapflo (Wuxi) Tel: +86 510 8241 7602 sales@tapflo.cn

Denmark

Tapflo Danmark Tel: +45 36 454600 info@tapflo.dk

France

Tapflo France Tel: +33 1 34 78 82 40 info@tapflo.fr

Georgia

Tapflo Georgia Tel: +995 577 463010 sales@tapflo.ge

India

Tapflo Fluid Handling India Pvt Ltd Tel: +91 20 65000215 ad@tapflo.in

Ireland

Tapflo Ireland Ltd Tel: +353 1 2011911 info@tapflo.ie

Italy

Tapflo Italia Tel: +39 0362307698 info@tapfloitalia.com

Japar

Tapflo Japan K.K. Tel: +81-3-6240-3510 tapflojp@tapflo.co.jp

Kazakhstan

Tapflo Kazakstan Tel: +7 727 3278347 sales@tapflo.kz

Poland

Tapflo Sp. z o.o. Tel: +48 58 530 42 12 info@tapflo.pl

Romania

S.C. Tapflo Rom. S.r.l. Tel: +40 21 3451255 sales@tapflo.ro

Russia

Tapflo Company Tel: +7 495 232 18 28 sales@tapflo.com.ru

Serbia

Tapflo d.o.o. Tel: +381 21 44 58 08 sales@tapflo.rs

Slovakia

Tapflo s.r.o. +421 911 137 883 tapflo@tapflo.sk

Slovenia

Tapflo GmbH Tel: +386 68 613 474 sales@tapflo.hr

Spain

Tapflo Iberica Tel: +34 91 8093182 avives@tapfloiberica.es

South Africa

Tapflo (Pty) Ltd Tel: +27 31 701 5255 sales@tapflo.co.za

Turkey

Tapflo Makina Ltd Tel: +90 216 467 33 11 sales@tapflo.com.tr

Ukraine

TOB Tapflo Tel: +380 44 222 68 44 sales@tapflo.com.ua

Uzbekistan

Tapflo Uzbekistan Tel: +998 712370940 sales@tapflo.uz

United Kingdom

Tapflo (UK) Ltd Tel: +44 2380 252325 sales@tapflopumps.co.uk